

American Chemical Technologies, Inc.
485 E. Van Riper Road, Fowlerville, MI 48836
Office: 517-223-0300 Fax: 517-223-1703

EMERGENCY: INFOTRAC 1-800-535-5053 24 HOURS/DAY, 7 DAYS/WEEK

This MSDS Complies With 29 CFR 1910.1200 (The Hazard Communication Standard)

SECTION I – IDENTIFICATION

Product Name: DuraLife 750M

Chemical Identification: Petroleum Hydrocarbon Plus Additives

CAS #: Mixture

SECTION II – INGREDIENTS AND HAZARD CLASSIFICATION

Hazardous components (specific OSHA ACGIH other limits % chemical identity/common name)

PEL TLV recommended optional

NONE

SECTION III – PHYSICAL DATA

Boiling Point: 500+° F

Melting Point: 500+°F

Specific Gravity (water=1): @ room Temperature 1.05 – 1.1

Vapor Pressure (mm Hg @ 20 Deg. C): Not Applicable

Vapor Density (air=1): Not Applicable

Form: Semi Solid

Appearance: Grease

Odor: Mineral Oil

Color: Gray

Solubility in Water (by weight %): Negligible @ 25 Deg. C

Volatile (by weight %): Not Applicable

PH (as is): Not Applicable

Evaporation Rate: Not Applicable

Viscosity SUS @ 100 Deg. F: Greater than or = to 100

SECTION IV – FIRE AND EXPLOSION DATA

Flash Point: 500 Deg. F (Greater than 185 Deg. C)

Method: COC

Flammable Limits: No Data Available

Extinguishing Media: Dry Chemical, Water Fog, CO₂, Foam or sand/earth. Water may cause frothing. Closed containers exposed to fire may be cooled with water.

Firefighting Procedures: Dense Smoke. Use an approved self-contained breathing apparatus. Do not use water except as fog.

Hazardous Decomposition Products: Carbon Monoxide and Carbon Dioxide from burning, Oxides of Sulfur, Sulfur Dioxide or Hydrogen Sulfide depending upon decomposition conditions. Oxides of Calcium.

NFPA Codes: Health -0 Flammability -1 Reactivity -0

SECTION V – REACTIVITY DATA

Stability: Stable under normal conditions

Incompatibility: Strong Oxidizers such as Hydrogen Peroxide, Bromine and Chromic Acid.

SECTION VI – HEALTH HAZARD INFORMATION

Flash Point: 500 Deg. F (Greater than 185 Deg. C)

Method: COC

Flammable Limits: No Data Available

Extinguishing Media: Dry Chemical, Water Fog, CO₂, Foam or sand/earth. Water may cause frothing. Closed containers exposed to fire may be cooled with water.

Firefighting Procedures: Dense Smoke. Use an approved self-contained breathing apparatus. Do not use water except as fog.

Hazardous Decomposition Products: Carbon Monoxide and Carbon Dioxide from burning, Oxides of Sulfur, Sulfur Dioxide or Hydrogen Sulfide depending upon decomposition conditions. Oxides of Calcium.

NFPA Codes: Health -0 Flammability -1 Reactivity -0

SECTION VII- PRECAUTIONS FOR SAFE HANDLING AND USE

Respiratory Protection: None required

Ventilation: None required

Protective Gloves: None required

Eye Protection: Chemical safety goggles and, if handled hot, full face shield

Other Protective Equipment: None required

Precautions to be taken in handling and storage: Keep container closed until ready for use

KEEP OUT OF REACH OF CHILDREN.

ADVICE TO PHYSICIANS

High velocity injection under the skin may result in serious injury. If left untreated the affected area is subject to infection and disfigurement, lack of blood circulation and may require amputation. When dispensed by high pressure equipment this material may easily penetrate the skin and leave a bloodless puncture wound. Material injected into a finger may be deposited into the palm of the hand. Within 24-48 hours the patient may experience swelling, discoloration,

and throbbing pain in the affected area. Immediate treatment by a surgical specialist is recommended.

SECTION VIII – CONTROL MEASURES

Steps to be taken in case material is released or spilled:

Transfer bulk of mixture into another container. Absorb residue with an inert material such as earth, sand or vermiculite. Sweep up and dispose as solid waste in accordance with Local, State, and Federal Regulations.

Waste Disposal Method:

Dispose of in accordance with all applicable Federal, State, and Local Regulations.

SECTION IX – TRANSPORTATION INFORMATION

Dot Hazard Classification: Not Regulated

Reportable Quantity: Not Regulated

Freight Classification: Petroleum Lubricating Grease

Special Transportation Notes: Not Regulated

SECTION X – REGULATORY INFORMATION

Section 313 Title III Superfund Amendment and Reauthorization Act:

This product does not contain any chemical subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR part 372.

SECTION XI – SPECIAL PRECAUTIONS

Prepared By: Mark D. Latunski

Date Revised: 08/11/2008

Supersedes: 11/19/2003

Date Prepared: 11/19/2003

The information provided herein is believed to be accurate to the best of the company's knowledge as of the date of its issue. We do not warrant or guarantee the information provided and will not be held liable for any loss or damage from its use.