

American Chemical Technologies, Inc.  
485 E Van Riper Road, Fowlerville, MI 48836  
(517) 223-0300  
FAX: (517) 223-1703

**EMERGENCY: INFOTRAC 1-800-535-5053 24 HOURS/DAY, 7 DAYS/WEEK**

THIS MSDS COMPLIES WITH 29 CFR 1910.1200 (THE HAZARD COMMUNICATION STANDARD)

---

---

**SECTION I – PRODUCT IDENTIFICATION**

---

---

**Product Name:** DuraLife 2500  
**Chemical Name:** Petroleum Hydrocarbon Plus Additives  
**Formula:** Not Applicable  
**Dot Hazard Classification:** Not Regulated

---

---

**SECTION II- HAZARDOUS INGREDIENTS/IDENTIFY INFORMATION**

---

---

Hazardous components (specific OSHA ACGIH other limits % chemical identity/common name) PEL TLV recommended optional  
**NONE**

---

---

**SECTION III – PHYSICAL DATA**

---

---

**Boiling Point:** Not Data Available  
**Melting Point:** Not Applicable  
**Specific Gravity (water=1):** @ room Temperature .972  
**Vapor Pressure (mm Hg @ 20 Deg. C):** Not Applicable  
**Vapor Density (air=1):** Not Applicable  
**Form:** Semi Solid **Appearance:** Grease  
**Odor:** Mineral Oil **Color:** Amber  
**Solubility in Water (by weight %):** Negligible @ 25 Deg. C  
**Volatile (by weight %):** Not Applicable  
**PH (as is):** Not Applicable  
**Evaporation Rate:** Not Applicable  
**Viscosity SUS @ 100 Deg. F:** Greater than or = to 100

---

---

**SECTION IV – FIRE AND EXPLOSION INFORMATION**

---

---

**Flash Point:** 365 Deg. F (Greater than 185 Deg. C) **Method:** COC  
**Flammable Limits:** No Data Available  
**Extinguishing Media:** Dry Chemical, Water Fog, CO2, Foam or sand/earth. Water may cause frothing. Closed containers exposed to fire may be cooled with water.  
**Firefighting Procedures:** Dense Smoke. Use an approved self-contained breathing apparatus. Do not use water except as fog.  
**Hazardous Decomposition Products:** Carbon Monoxide and Carbon Dioxide from burning, Oxides of Sulfur, Sulfur Dioxide or Hydrogen Sulfide depending upon decomposition conditions. Oxides of Calcium

**NFPA Codes:** Health –0 Flammability –1 Reactivity –0

---

**SECTION V – HEALTH HAZARD DATA**

---

**Permissible Concentrations (air):** Not Applicable

**Chronic effects of Over Exposure:** None when used with good personal hygiene practices. May otherwise cause skin and eye irritation upon prolonged or repeated contact

**Acute Toxicological Properties:** No data available

**FIRST AID:**

**If in Eyes:** Immediately flush with large quantities of water for at least 15 minutes and call a physician.

**If on Skin:** Remove excess with cloth or paper. Thoroughly wash exposed area with soap and water. For high pressure injection under the skin see a physician immediately

**Inhalation:** Remove exposed person to fresh air if discomfort is experienced while handling hot product.

**Ingestion:** Contact a physician immediately.

---

**SECTION VI- REACTIVITY DATA**

---

**Stability:** Stable under normal conditions

**Incompatibility:** Strong Oxidizers such as Hydrogen Peroxide, Bromine and Chromic Acid.

---

**SECTION VII – SPILL OR LEAK PROCEDURES**

---

**Steps to be taken in case material is released or spilled:**

Transfer bulk of mixture into another container. Absorb residue with an inert material such as earth, sand or vermiculite. Sweep up and dispose as solid waste in accordance with Local, State, and Federal Regulations.

**Waste Disposal Method:**

Dispose of in accordance with all applicable Federal, State, and Local Regulations.

---

**SECTION VIII – PROTECTIVE EQUIPMENT**

---

**Respiratory Protection:** None required

**Ventilation:** None required

**Protective Gloves:** None required

**Eye Protection:** Chemical safety goggles and, if handled hot, full face shield

**Other Protective Equipment:** None required

---

**SECTION IX – SPECIAL PRECAUTIONS AND COMMENTS**

---

**Precautions to be taken in handling and storage:** Keep container closed until ready for use

KEEP OUT OF REACH OF CHILDREN.

**ADVICE TO PHYSICIANS**

High velocity injection under the skin may result in serious injury. If left untreated the affected area is subject to infection and disfigurement, lack of blood circulation and may require amputation. When dispensed by high pressure equipment this material may easily penetrate the skin and leave a bloodless puncture wound. Material injected into a finger may be deposited into the palm of the hand. Within 24-48 hours the patient may experience swelling, discoloration, and throbbing pain in the affected area. Immediate treatment by a surgical specialist is recommended.

---

---

**SECTION X – TRANSPORTATION DATA**

---

---

**Reportable Quantity:** Not Applicable  
**Freight Classification:** Petroleum Lubricating Grease  
**Special Transportation Notes:** Not Applicable

---

---

**SECTION XI – ENVIROMENTAL/SAFETY REGULATIONS**

---

---

**Section 313 Title III Superfund Amendment and Reauthorization Act:**

This product does not contain any chemical subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR part 372.

The information provided herein is believed to be accurate to the best of the Company's knowledge as of the date of its issue. We do not warrant or guarantee the information provided and will not be held liable for any loss or damage from its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

**Date Prepared:** 11-30-94  
**Name of Preparer:** Kevin P Kovanda  
**Supercedes:** 7-13-99  
**Revision Date:** 8-15-01