

American Chemical Technologies, Inc.
485 E Van Riper Road, Fowlerville, MI 48836
Office: 517-223-0300 Fax: 517-223-1703

EMERGENCY: INFOTRAC 1-800-535-5053 24 HOURS/DAY, 7 DAYS/WEEK

THIS MSDS COMPLIES WITH 29 CFR 1910.1200 (THE HAZARD COMMUNICATION STANDARD)

SECTION I – PRODUCT IDENTIFICATION

Product Name: WAYLUBE 1000
General or Generic ID: Lubricating Oil
D.O.T. Hazard Classification: Not applicable

SECTION II – COMPONENTS

This product is non-hazardous. The product contains no known carcinogens. No special warning labels are required under the OSHA Hazard communication Standard CFR Title 29 1910-1200.

SECTION III- REACTIVITY DATA

Hazardous Polymerization: Will not occur
Hazardous Decomposition Products: Oxides of Carbon, Sulfur, Nitrogen, Phosphorus and Hydrogen sulfide from burning.
Incompatibility (keep away from): Strong oxidizing agents
Stability: Stable
Conditions to avoid: Exposure to excessive heat, open flames, and sparks. Avoid conditions that favor the formation of excessive mists and/or fumes.

SECTION IV – PHYSICAL DATA

Form: Liquid
Appearance: Amber
Specific Gravity: .904
Boiling Point: No Data Available
Solubility in Water: Negligible @ 25 ° C
Vapor Pressure: Not Applicable
Vapor Density: Not Applicable

SECTION V – FIRE AND EXPLOSION INFORMATION

Special Fire Fighting Procedures: Dense smoke. Fire fighters should wear an approved self-contained breathing apparatus. **DO NOT** use water except as a fog. Water may cause frothing.
Flash Point: > 350 ° F Cleveland Open Cup
Extinguishing Media: Dry chemical, water fog, CO₂, foam

NFPA Codes: HEALTH –0 FLAMMABILITY –1 REACTIVITY –0

SECTION VI – HEALTH HAZARD DATA

Chronic Effects of Acute Over Exposure: None when used with good personal hygiene practices. May otherwise cause skin and eye irritation upon prolonged or repeated contact

FIRST AID:

Eyes: Immediately flush with large quantities of water for at least 15 minutes and call a physician.

Skin: Wash thoroughly with water for 15 minutes. Get medical attention if irritation persists.

Inhaled: Remove exposed individual to fresh air. Get medical attention

Ingested: Contact a physician immediately. Do not induce vomiting.

SECTION VII- SPECIAL PROTECTION

Respiratory Protection (specify type): Use NIOSH/MSHA approved respirators when vapors or mist concentrations exceed permissible exposure limits.

Protective Gloves: Neoprene rubber

Eye Protection: None

Other Protective Equipment: None

SECTION VIII – SPILL OR LEAK PROCEDURES

Steps to be taken in Case Material is Released or Spilled: Extinguish possible sources of ignition and ventilate spill area. Dike area to contain spill and clean up by absorbing on an inert absorbent. Do not flush into sewers or natural waterways.

Waste Disposal Method: Dispose of in accordance with all applicable federal, state, and local regulations.

SECTION IX – SPECIAL PRECAUTIONS

If used in applications where a mist may be generated, observe a TWA/PEL of 5 mg/m³ for mineral oil mist (OSHA and ACGIH).

D.O.T.: Not regulated

The information provided herein is believed to be accurate to the best of the Company's knowledge as of the date of its issue. We do not warrant or guarantee the information provided and will not be held liable for any loss or damage from its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

Prepared By: Sharon Haiser

Date Prepared: 9-17-97

Revision Date: 7-31-02

Supersedes: 7-18-01